

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3923	(latency or delay) and (noise (phase or signal)) and (bit rate or bitrate or data rate or transfer rate or transmission rate) and (threshold or maximum or most or greatest or highest)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L2	1202	("near" end (cross talk or crosstalk) or NEXT) and (far end (cross talk or crosstalk) or FEXT)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L3	96	L1 and L2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L4	15	(latency or delay) same (noise (phase or signal)) same (bit rate or bitrate or data rate or transfer rate or transmission rate) same (threshold or maximum or most or greatest or highest)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L5	1202	("near" end (cross talk or crosstalk) or NEXT) and (far end (cross talk or crosstalk) or FEXT)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L6	3	L4 and L5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L7	2486	(latency or delay) with (exceed\$3 or greater or more or higher) with (predetermined or preset or pre set or established) with (threshold or maximum or ceiling)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L8	1202	("near" end (cross talk or crosstalk) or NEXT) and (far end (cross talk or crosstalk) or FEXT)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L9	5	L7 and L8	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L10	139	(determin\$3 or discern\$3 or establish\$3 or set\$4 or decid\$3) with (bit rate or data rate or bitrate) with (predetermined or maximum or highest or greatest) near3 (latency or delay)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L11	3	L10 and L8	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11

L12	0	(limit\$3 or constrain\$3 or minimiz\$3 or narrow \$3) near2 (range or available allow\$4) near2 (bit rate or bitrate or data rate) with (maximum or threshold or predetermined or allow\$4) near2 (latency or delay)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L13	0	(limit\$3 or constrain\$3 or minimiz\$3 or narrow \$3) near2 (range or available or allow\$4) near2 (bit rate or bitrate or data rate) with (maximum or threshold or pre determined or predetermined or allow\$4) near2 (latency or delay)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L14	327	(limit\$3 or constrain\$3 or minimiz\$3 or narrow \$3) with (bit rate or bitrate or data rate) with (maximum or threshold or pre determined or predetermined or allow\$4) with (latency or delay)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L15	1202	("near" end (cross talk or crosstalk) or NEXT) and (far end (cross talk or crosstalk) or FEXT)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L16	6	L14 and L15	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L17	5050	(send\$3 or notify\$3 or inform\$3 or communicat \$3 or indicat\$3 or transmit\$4) with (threshold or maximum or highest or allowable or most or greatest) near3 (latency or delay)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L18	15800	(370/235-236,201,203-204,342,320,441,465,468,493).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 14:11
L19	16236	(375/130,219,294-295,222,285,358,362,371,373,375-376).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 14:11
L20	507	L17 and (L18 or L19)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L21	7269	(training or pilot) with (latency or delay)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L22	158	((maximum or threshold) near4 (delay or latency)) with ((limit or decrease or lower) near4 (rate or bitrate))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L23	230	((maximum or threshold) near4 (delay or latency)) with ((limit\$4 or decreas\$3 or lower\$3) near4 (rate or bitrate))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11

L24	287	(bit allocation table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L25	150	(bitrate or rate) with (symbol) with (latency)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L26	42	L25 and (DMT or discrete multi tone)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L27	284	(symbol near3 (time or duration)) with (latency or delay or jitter) with (rate or bitrate)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L28	4	((FEXT or far end cross talk) near3 (bitrate or rate)) with (determin\$3 or calculat\$3) with ((NEXT or "near" end cross talk) near3 (bitrate or rate))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:11
L29	1	("6240094").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/08/25 14:14
S1	3709	(latency or delay) and (noise (phase or signal)) and (bit rate or bitrate or data rate or transfer rate or transmission rate) and (threshold or maximum or most or greatest or highest)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 18:27
S2	1077	("near" end (cross talk or crosstalk) or NEXT) and (far end (cross talk or crosstalk) or FEXT)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 18:28
S3	88	S1 and S2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 18:28
S4	15	(latency or delay) same (noise (phase or signal)) same (bit rate or bitrate or data rate or transfer rate or transmission rate) same (threshold or maximum or most or greatest or highest)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 13:21
S5	1077	("near" end (cross talk or crosstalk) or NEXT) and (far end (cross talk or crosstalk) or FEXT)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 13:46
S6	3	S4 and S5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 13:46

S10	2389	(latency or delay) with (exceed\$3 or greater or more or higher) with (predetermined or preset or pre set or established) with (threshold or maximum or ceiling)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 14:42
S11	1077	("near" end (cross talk or crosstalk) or NEXT) and (far end (cross talk or crosstalk) or FEXT)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 14:42
S12	5	S10 and S11	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 14:42
S13	128	(determin\$3 or discern\$3 or establish\$3 or set\$4 or decid\$3) with (bit rate or data rate or bitrate) with (predetermined or maximum or highest or greatest) near3 (latency or delay)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 15:12
S14	3	S13 and S11	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 15:22
S15	0	(limit\$3 or constrain\$3 or minimiz\$3 or narrow \$3) near2 (range or available allow\$4) near2 (bit rate or bitrate or data rate) with (maximum or threshold or predetermined or allow\$4) near2 (latency or delay)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 16:23
S19	0	(limit\$3 or constrain\$3 or minimiz\$3 or narrow \$3) near2 (range or available or allow\$4) near2 (bit rate or bitrate or data rate) with (maximum or threshold or pre determined or predetermined or allow\$4) near2 (latency or delay)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 10:27
S20	277	(limit\$3 or constrain\$3 or minimiz\$3 or narrow \$3) with (bit rate or bitrate or data rate) with (maximum or threshold or pre determined or predetermined or allow\$4) with (latency or delay)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 10:51
S21	1078	("near" end (cross talk or crosstalk) or NEXT) and (far end (cross talk or crosstalk) or FEXT)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 10:51
S22	6	S20 and S21	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 10:51
S23	4664	(send\$3 or notify\$3 or inform\$3 or communicat \$3 or indicat\$3 or transmit\$4) with (threshold or maximum or highest or allowable or most or greatest) near3 (latency or delay)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 13:19
S24	14572	(370/235-236,201,203-204,342,320,441,465,468,493).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 13:21

S25	15475	(375/130,219,294-295,222,285,358,362,371,373,375-376).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 13:23
S26	463	S23 and (S24 or S25)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 13:23
S27	6868	(training or pilot) with (latency or delay)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 13:45
S28	147	((maximum or threshold) near4 (delay or latency)) with ((limit or decrease or lower) near4 (rate or bitrate))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/15 18:41
S29	213	((maximum or threshold) near4 (delay or latency)) with ((limit\$4 or decreas\$3 or lower\$3) near4 (rate or bitrate))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/15 18:42
S32	272	(bit allocation table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/17 20:07
S33	141	(bitrate or rate) with (symbol) with (latency)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/17 22:49
S34	39	S33 and (DMT or discrete multi tone)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/17 22:49
S35	266	(symbol near3 (time or duration)) with (latency or delay or jitter) with (rate or bitrate)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/17 22:49
S38	4	((FEXT or far end cross talk) near3 (bitrate or rate)) with (determin\$3 or calculat\$3) with ((NEXT or "near" end cross talk) near3 (bitrate or rate))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 13:55

8/ 25/ 2008 2:19:31 PM

C:\Documents and Settings\calia.USPTO\My Documents\EAST\Workspaces\10706285-1.wsp